




Channel Signs

Advantages of Epoxy Signs





Advantages of Epoxy Signs



Channel Signs

Advantages of Epoxy Signs






The rear part of the channel can be made



Channel Signs

Type-1 NL-P2 (FACE-LIT)






SPECIFICATION	
lighting	LED (1CHIP)
height of channel	25mm ~ 50mm
material of face	EPOXY
application	Indoor / outdoor sign
others	utility model registration







Type-2 METALIC (FACE-LIT)












Channel Signs

Type-3 NL-B (BACK-LIT)





SPECIFICATION	
lighting	LED (1CHIP)
height of channel	20mm
material of face	EPOXY
application	Indoor / outdoor sign
others	utility model registration





Type-4 NL-S1 (SIDE3D-LIT)



lighting	LED (1CHIP)
height of channel	40mm
material of face	EPOXY/ACRYL
application	Indoor / outdoor sign





Channel Signs

Type-5 NL-PB (FACE-LIT + BACK-LIT)










Type-6 NL-PS1 (FACE-LIT + SIDE3D-LIT)



Channel Signs

Type-7 **DOT FACE-LIT (LENS)**



Introduction and Features: DOT/LENS TYPE


- 1) Unique dot design features for LED sign.
- 2) High visibility from away.
- 3) This is an improved version from our old design of DOT Type.
- 4) Various tone of color options available.
- 5) Various dot lens size options available





Channel Signs

Type-8 **EMBOSSED**





Introduction and Features: Embossing Type

- 1) Popular design in EU and USA for those who have nostalgia of Neon sign.
- 2) Round 3-D effect surface like
- 3) Various color option available.
- 4) Less letter width is better surface effect.
- 5) Better front & side light effect by 3-D effect.



Channel Signs

Type-9 **ACRYLIC EMBOSSED**





Introduction and Features: Embossing Type

- 1) Popular design in EU and USA for those who have nostalgia of Neon sign.
- 2) Round 3-D effect surface like
- 3) Less letter width is better surface effect.
- 4) Better front & side light effect by 3-D effect.



Type-10 **RIFT SIGN**





Introduction and Features : Embossing Type

- 1) Stand-type channel sign.
- 2) By processing the front and rear of the SUS hairline and colour finish, It feels luxurious even when the lights are not turned on.
- 3) It can be made at least 5mm thick.
- 4) It is secured with a magnet for easy removal.